



Connemara, 140257

Tarcutta NSW



Sire of Sire: *Connemara, 093220*

Progeny video inspections
at 34.5 months of age with 11 months wool growth

Fleece weights/shearing at 35 months of age with 11.5 months wool growth

2017 Drop



Sire: Connemara Poll, 140257

Rear Type of Ewes (%)			Classer's Grade Adult3 (%)		Breech Trait Score @ Marking		No. Lambs Weaned	
Singles	Twins	Triplets	Tops	Culls	BRWR	BCOV	Research Breeding Value	
59	35	6	-6	12	2.2	4.4	-9	

Raw Data	A3CFW (kg)	A3FD (µm)	A3SL (mm)	A3SS (Nktex)	WWT (kg)	A3WT (kg)	A3EMD (mm)	A3FAT (mm)	CS @ A3 Joining
	3.2	15.6	91.1	20.9	24.2	51.2	25.0	1.9	3.5
Drop Average	3.4	16.7	91.0	22.8	24.4	54.9	25.8	1.8	3.6

Flock Breeding Values	ACFW (%)	AFD (µm)	ASL (mm)	ASS (Nktex)	WWT (kg)	AWT (kg)	HEMD (mm)	HFAT (mm)	HVEC (%)	DP+	MP+	FP+	WP+
	-6	-1.8	0.7	-5.2	-0.9	-5.7	0.3	1.1	-48	73	75	101	73

2017 Drop



Conrayn, MVB123

Berridale NSW



Sire of Sire: *Unknown*

Progeny video inspections
at 34.5 months of age with 11 months wool growth

Fleece weights/shearing at 35 months of age with 11.5 months wool growth

2017 Drop



Sire: Conrayn, MVB123

Rear Type of Ewes (%)			Classer's Grade Adult3 (%)		Breech Trait Score @ Marking		No. Lambs Weaned	
Singles	Twins	Triplets	Tops	Culls	BRWR	BCOV	Research Breeding Value	
56	38	6	2	-11	2.6	4.6	-15	

Raw Data	A3CFW (kg)	A3FD (µm)	A3SL (mm)	A3SS (Nktex)	WWT (kg)	A3WT (kg)	A3EMD (mm)	A3FAT (mm)	CS @ A3 Joining
	3.4	17.2	88.9	24.5	24.0	55.1	25.6	1.9	3.6
Drop Average	3.4	16.7	91.0	22.8	24.4	54.9	25.8	1.8	3.6

Flock Breeding Values	ACFW (%)	AFD (µm)	ASL (mm)	ASS (Nktex)	WWT (kg)	AWT (kg)	HEMD (mm)	HFAT (mm)	HWEC (%)	DP+	MP+	FP+	WP+
	-1	0.7	-5.7	1.2	0.3	-0.5	-1.9	-0.4	134	80	101	83	103

2017 Drop



Cressbrook, 140055

Armidale NSW



NEW ENGLAND

Sire of Sire: *Centre Plus WA, 831327*

Progeny video inspections
at 34.5 months of age with 11 months wool growth

Fleece weights/shearing at 35 months of age with 11.5 months wool growth

2017 Drop



Sire: Cressbrook, 140055

Rear Type of Ewes (%)			Classer's Grade Adult3 (%)		Breech Trait Score @ Marking		No. Lambs Weaned	
Singles	Twins	Triplets	Tops	Culls	BRWR	BCOV	Research Breeding Value	
50	50	0	12	-1	2.5	4.6	6	

Raw Data	A3CFW (kg)	A3FD (µm)	A3SL (mm)	A3SS (Nktex)	WWT (kg)	A3WT (kg)	A3EMD (mm)	A3FAT (mm)	CS @ A3 Joining
	3.3	15.1	90.6	19.3	24.9	54.3	25.4	1.5	3.5
Drop Average	3.4	16.7	91.0	22.8	24.4	54.9	25.8	1.8	3.6

Flock Breeding Values	ACFW (%)	AFD (µm)	ASL (mm)	ASS (Nktex)	WWT (kg)	AWT (kg)	HEMD (mm)	HFAT (mm)	HWEC (%)	DP+	MP+	FP+	WP+
	-5	-3.4	2.2	-7.7	0.2	-1.6	-0.4	-1.1	124	102	117	117	104

2017 Drop



Egelabra, HEK 1.36

Warren NSW



Sire of Sire: Egelabra, 994000

Progeny video inspections
at 34.5 months of age with 11 months wool growth

Fleece weights/shearing at 35 months of age with 11.5 months wool growth

2017 Drop



Sire: Egelabra, HEK 1.36

Rear Type of Ewes (%)			Classer's Grade Adult3 (%)		Breech Trait Score @ Marking		No. Lambs Weaned	
Singles	Twins	Triplets	Tops	Culls	BRWR	BCOV	Research Breeding Value	
53	41	6	8	-4	3.2	4.5	-6	

Raw Data	A3CFW (kg)	A3FD (µm)	A3SL (mm)	A3SS (Nktex)	WWT (kg)	A3WT (kg)	A3EMD (mm)	A3FAT (mm)	CS @ A3 Joining
	3.7	17.4	89.0	25.8	22.4	52.9	24.5	1.6	3.5
Drop Average	3.4	16.7	91.0	22.8	24.4	54.9	25.8	1.8	3.6


Flock Breeding Values	ACFW (%)	AFD (µm)	ASL (mm)	ASS (Nktex)	WWT (kg)	AWT (kg)	HEMD (mm)	HFAT (mm)	HWEC (%)	DP+	MP+	FP+	WP+
	10	0.9	-10.2	7.0	-3.4	-3.8	-2.6	-1.7	-3	74	91	101	88

2017 Drop



Grindon, 150017

Boyup Brook WA



Sire of Sire: *Grindon, 130215*

Progeny video inspections
at 34.5 months of age with 11 months wool growth

Fleece weights/shearing at 35 months of age with 11.5 months wool growth

2017 Drop



Sire: Grindon, 150017

Rear Type of Ewes (%)			Classer's Grade Adult3 (%)		Breech Trait Score @ Marking		No. Lambs Weaned	
Singles	Twins	Triplets	Tops	Culls	BRWR	BCOV	Research Breeding Value	
49	51	0	-22	62	3.2	4.6	-7	

Raw Data	A3CFW (kg)	A3FD (µm)	A3SL (mm)	A3SS (Nktex)	WWT (kg)	A3WT (kg)	A3EMD (mm)	A3FAT (mm)	CS @ A3 Joining
	2.6	15.3	81.6	22.6	24.0	53.6	25.7	1.8	3.5
Drop Average	3.4	16.7	91.0	22.8	24.4	54.9	25.8	1.8	3.6

Flock Breeding Values	ACFW (%)	AFD (µm)	ASL (mm)	ASS (Nktex)	WWT (kg)	AWT (kg)	HEMD (mm)	HFAT (mm)	HWEC (%)	DP+	MP+	FP+	WP+
	-52	-2.6	-18.7	-4.8	-0.2	-0.8	1.6	0.8	-53	73	59	69	48

2017 Drop



Karori, 140188

Walcha NSW



NEW ENGLAND

Sire of Sire: *Karori, 110386*

Progeny video inspections
at 34.5 months of age with 11 months wool growth

Fleece weights/shearing at 35 months of age with 11.5 months wool growth

2017 Drop



Sire: Karori, 140188

Rear Type of Ewes (%)			Classer's Grade Adult3 (%)		Breech Trait Score @ Marking		No. Lambs Weaned	
Singles	Twins	Triplets	Tops	Culls	BRWR	BCOV	Research Breeding Value	
53	47	0	0	1	2.9	4.3	-8	

Raw Data	A3CFW (kg)	A3FD (µm)	A3SL (mm)	A3SS (Nktex)	WWT (kg)	A3WT (kg)	A3EMD (mm)	A3FAT (mm)	CS @ A3 Joining
	3.4	16.3	87.9	23.6	24.6	52.9	24.7	1.7	3.5
Drop Average	3.4	16.7	91.0	22.8	24.4	54.9	25.8	1.8	3.6

Flock Breeding Values	ACFW (%)	AFD (µm)	ASL (mm)	ASS (Nktex)	WWT (kg)	AWT (kg)	HEMD (mm)	HFAT (mm)	HWEC (%)	DP+	MP+	FP+	WP+
	-8	-1.0	-8.7	-3.9	0.3	-3.4	-0.8	0.5	-49	74	87	99	85

2017 Drop



Miramoonna, 140012

Walcha NSW



Sire of Sire: *Anderson, 120096*

Progeny video inspections
at 34.5 months of age with 11 months wool growth

Fleece weights/shearing at 35 months of age with 11.5 months wool growth

2017 Drop



Sire: Miramoonna, 140012

Rear Type of Ewes (%)			Classer's Grade Adult3 (%)		Breech Trait Score @ Marking		No. Lambs Weaned	
Singles	Twins	Triplets	Tops	Culls	BRWR	BCOV	Research Breeding Value	
59	39	2	5	-6	2.0	4.3	7	

Raw Data	A3CFW (kg)	A3FD (µm)	A3SL (mm)	A3SS (Nktex)	WWT (kg)	A3WT (kg)	A3EMD (mm)	A3FAT (mm)	CS @ A3 Joining
	3.4	17.2	97.5	20.3	25.0	54.1	25.7	1.8	3.5
Drop Average	3.4	16.7	91.0	22.8	24.4	54.9	25.8	1.8	3.6

Flock Breeding Values	ACFW (%)	AFD (µm)	ASL (mm)	ASS (Nktex)	WWT (kg)	AWT (kg)	HEMD (mm)	HFAT (mm)	HWEC (%)	DP+	MP+	FP+	WP+
	6	1.6	18.7	2.6	0.8	2.5	1.2	1.6	-55	133	114	95	125

2017 Drop



Mirani, 120021

Walcha NSW



NEW ENGLAND

Sire of Sire: *Nerstane, 090910*

Progeny video inspections
at 34.5 months of age with 11 months wool growth

Fleece weights/shearing at 35 months of age with 11.5 months wool growth

2017 Drop



Sire: Mirani, 120021

Rear Type of Ewes (%)			Classer's Grade Adult3 (%)		Breech Trait Score @ Marking		No. Lambs Weaned	
Singles	Twins	Triplets	Tops	Culls	BRWR	BCOV	Research Breeding Value	
44	56	0	-4	2	2.5	4.4	13	

Raw Data	A3CFW (kg)	A3FD (µm)	A3SL (mm)	A3SS (Nktex)	WWT (kg)	A3WT (kg)	A3EMD (mm)	A3FAT (mm)	CS @ A3 Joining
	3.2	16.4	87.8	25.5	23.3	52.2	24.9	1.6	3.4
Drop Average	3.4	16.7	91.0	22.8	24.4	54.9	25.8	1.8	3.6

Flock Breeding Values	ACFW (%)	AFD (µm)	ASL (mm)	ASS (Nktex)	WWT (kg)	AWT (kg)	HEMD (mm)	HFAT (mm)	HWEC (%)	DP+	MP+	FP+	WP+
	-6	-0.1	-4.4	8.3	-1.6	-1.7	-0.7	0.2	0	88	96	107	89

2017 Drop



Moorundie Poll, NE73

Keith SA

Link Sire



Sire of Sire: *Moorundie Poll, 110020*

Progeny video inspections
at 34.5 months of age with 11 months wool growth

Fleece weights/shearing at 35 months of age with 11.5 months wool growth

2017 Drop



Sire: Moorundie Poll, NE73

Rear Type of Ewes (%)			Classer's Grade Adult3 (%)		Breach Trait Score @ Marking		No. Lambs Weaned	
Singles	Twins	Triplets	Tops	Culls	BRWR	BCOV	Research Breeding Value	
67	33	0	7	-9	2.3	4.1	-2	

Raw Data	A3CFW (kg)	A3FD (µm)	A3SL (mm)	A3SS (Nktex)	WWT (kg)	A3WT (kg)	A3EMD (mm)	A3FAT (mm)	CS @ A3 Joining
	4.1	17.3	97.1	19.2	27.4	60.4	27.2	1.9	3.7
Drop Average	3.4	16.7	91.0	22.8	24.4	54.9	25.8	1.8	3.6

Flock Breeding Values	ACFW (%)	AFD (µm)	ASL (mm)	ASS (Nktex)	WWT (kg)	AWT (kg)	HEMD (mm)	HFAT (mm)	HVEC (%)	DP+	MP+	FP+	WP+
	26	0.5	5.6	-6.1	3.0	2.8	0.5	-1.0	116	136	128	109	138

2017 Drop



Nerstane, 150073

Woolbrook NSW



NEW ENGLAND

Sire of Sire: *East Strathglen, 120239*

Progeny video inspections
at 34.5 months of age with 11 months wool growth

Fleece weights/shearing at 35 months of age with 11.5 months wool growth

2017 Drop



Sire: Nerstane, 150073

Rear Type of Ewes (%)			Classer's Grade Adult3 (%)		Breech Trait Score @ Marking		No. Lambs Weaned	
Singles	Twins	Triplets	Tops	Culls	BRWR	BCOV	Research Breeding Value	
63	37	0	2	-15	2.5	4.7	5	

Raw Data	A3CFW (kg)	A3FD (µm)	A3SL (mm)	A3SS (Nktex)	WWT (kg)	A3WT (kg)	A3EMD (mm)	A3FAT (mm)	CS @ A3 Joining
	3.6	16.8	93.3	22.0	26.3	59.2	26.0	1.7	3.6
Drop Average	3.4	16.7	91.0	22.8	24.4	54.9	25.8	1.8	3.6

Flock Breeding Values	ACFW (%)	AFD (µm)	ASL (mm)	ASS (Nktex)	WWT (kg)	AWT (kg)	HEMD (mm)	HFAT (mm)	HVEC (%)	DP+	MP+	FP+	WP+
	10	0.5	7.0	0.1	1.1	4.5	-1.9	-1.6	24	111	126	113	127

2017 Drop



Petali Poll, 150697

Walcha NSW



NEW ENGLAND

Sire of Sire: *Anderson, 120079*

Progeny video inspections

at 34.5 months of age with 11 months wool growth

Fleece weights/shearing at 35 months of age with 11.5 months wool growth

2017 Drop



Sire: Petali Poll, 150697

Rear Type of Ewes (%)			Classer's Grade Adult3 (%)		Breech Trait Score @ Marking		No. Lambs Weaned	
Singles	Twins	Triplets	Tops	Culls	BRWR	BCOV	Research Breeding Value	
57	39	4	-4	-17	2.7	4.6	10	

Raw Data	A3CFW (kg)	A3FD (µm)	A3SL (mm)	A3SS (Nktex)	WWT (kg)	A3WT (kg)	A3EMD (mm)	A3FAT (mm)	CS @ A3 Joining
	3.6	17.2	96.2	25.9	23.8	55.1	26.6	1.8	3.6
Drop Average	3.4	16.7	91.0	22.8	24.4	54.9	25.8	1.8	3.6

Flock Breeding Values	ACFW (%)	AFD (µm)	ASL (mm)	ASS (Nktex)	WWT (kg)	AWT (kg)	HEMD (mm)	HFAT (mm)	HWEC (%)	DP+	MP+	FP+	WP+
	10	1.3	10.8	5.6	-0.9	2.2	1.4	0.0	-65	129	122	115	123

2017 Drop



Trefusis, 150282

Ross TAS

[Link Sire](#)



Sire of Sire: *Roseville Park, 122792*

Progeny video inspections
at 34.5 months of age with 11 months wool growth

Fleece weights/shearing at 35 months of age with 11.5 months wool growth

2017 Drop



Sire: Trefusis, 150282

Rear Type of Ewes (%)			Classer's Grade Adult3 (%)		Breech Trait Score @ Marking		No. Lambs Weaned	
Singles	Twins	Triplets	Tops	Culls	BRWR	BCOV	Research Breeding Value	
48	52	0	23	-13	2.4	4.6	-4	

Raw Data	A3CFW (kg)	A3FD (µm)	A3SL (mm)	A3SS (Nktex)	WWT (kg)	A3WT (kg)	A3EMD (mm)	A3FAT (mm)	CS @ A3 Joining
	3.4	17.1	91.1	30.0	24.2	55.7	26.4	1.6	3.6
Drop Average	3.4	16.7	91.0	22.8	24.4	54.9	25.8	1.8	3.6

Flock Breeding Values	ACFW (%)	AFD (µm)	ASL (mm)	ASS (Nktex)	WWT (kg)	AWT (kg)	HEMD (mm)	HFAT (mm)	HWEC (%)	DP+	MP+	FP+	WP+
	0	0.6	2.1	7.9	0.8	0.7	-0.4	-1.8	38	92	97	101	94

2017 Drop



Trigger Vale Poll, 140477

Lockhart NSW

[Link Sire](#)



Sire of Sire: *Trigger Vale Poll, 110511*

Progeny video inspections

at 34.5 months of age with 11 months wool growth

Fleece weights/shearing at 35 months of age with 11.5 months wool growth

2017 Drop



Sire: Trigger Vale Poll, 140477

Rear Type of Ewes (%)			Classer's Grade Adult3 (%)		Breech Trait Score @ Marking		No. Lambs Weaned	
Singles	Twins	Triplets	Tops	Culls	BRWR	BCOV	Research Breeding Value	
43	57	0	-14	-9	1.3	4.2	-5	

Raw Data	A3CFW (kg)	A3FD (µm)	A3SL (mm)	A3SS (Nktex)	WWT (kg)	A3WT (kg)	A3EMD (mm)	A3FAT (mm)	CS @ A3 Joining
	3.4	18.2	95.6	20.6	25.2	59.9	27.7	2.3	3.8
Drop Average	3.4	16.7	91.0	22.8	24.4	54.9	25.8	1.8	3.6

Flock Breeding Values	ACFW (%)	AFD (µm)	ASL (mm)	ASS (Nktex)	WWT (kg)	AWT (kg)	HEMD (mm)	HFAT (mm)	HWEC (%)	DP+	MP+	FP+	WP+
	-2	3.4	11.5	1.8	1.5	5.8	3.2	3.2	46	120	72	59	90

2017 Drop



West Plains Poll, 110004 (Mercenary) Delegate NSW

[Link Sire](#)



Sire of Sire: *Hinesville, 090089*

Progeny video inspections
at 34.5 months of age with 11 months wool growth

Fleece weights/shearing at 35 months of age with 11.5 months wool growth

2017 Drop



Sire: West Plains Poll, 110004 (Mercenary)

Rear Type of Ewes (%)			Classer's Grade Adult3 (%)		Breech Trait Score @ Marking		No. Lambs Weaned	
Singles	Twins	Triplets	Tops	Culls	BRWR	BCOV	Research Breeding Value	
54	46	0	2	-3	2.7	4.7	5	

Raw Data	A3CFW (kg)	A3FD (µm)	A3SL (mm)	A3SS (Nktex)	WWT (kg)	A3WT (kg)	A3EMD (mm)	A3FAT (mm)	CS @ A3 Joining
	3.6	17.0	91.5	17.0	23.8	55.6	27.1	1.7	3.6
Drop Average	3.4	16.7	91.0	22.8	24.4	54.9	25.8	1.8	3.6

Flock Breeding Values	ACFW (%)	AFD (µm)	ASL (mm)	ASS (Nktex)	WWT (kg)	AWT (kg)	HEMD (mm)	HFAT (mm)	HWEC (%)	DP+	MP+	FP+	WP+
	12	0.6	-3.0	-6.9	-0.3	1.1	0.8	-0.3	84	103	93	91	101

2017 Drop



Yalgoo, 150313

Walcha NSW



NEW ENGLAND

Sire of Sire: *Yalgoo, 120043*

Progeny video inspections
at 34.5 months of age with 11 months wool growth

Fleece weights/shearing at 35 months of age with 11.5 months wool growth

2017 Drop



Sire: Yalgoo, 150313

Rear Type of Ewes (%)			Classer's Grade Adult3 (%)		Breech Trait Score @ Marking		No. Lambs Weaned	
Singles	Twins	Triplets	Tops	Culls	BRWR	BCOV	Research Breeding Value	
46	54	0	-10	11	2.5	4.7	11	

Raw Data	A3CFW (kg)	A3FD (µm)	A3SL (mm)	A3SS (Nktex)	WWT (kg)	A3WT (kg)	A3EMD (mm)	A3FAT (mm)	CS @ A3 Joining
	3.4	16.0	85.9	24.1	23.2	52.0	25.0	1.8	3.5
Drop Average	3.4	16.7	91.0	22.8	24.4	54.9	25.8	1.8	3.6

Flock Breeding Values	ACFW (%)	AFD (µm)	ASL (mm)	ASS (Nktex)	WWT (kg)	AWT (kg)	HEMD (mm)	HFAT (mm)	HWEC (%)	DP+	MP+	FP+	WP+
	6	-1.4	-7.6	0.1	-0.7	-2.1	-0.4	0.4	-68	109	120	128	113

2017 Drop